

Partial fractions I — distinct linear factors

Lesson 72 · Module 3 — Integral Calculus · The Calculus Course · dailymaths.uk/course

Practice problems

1. Evaluate the integral $\int \frac{3x+1}{x^2-x-6} dx$.
2. Evaluate the integral $\int \frac{1}{x^2-4x} dx$.
3. Evaluate the integral $\int \frac{x^2+1}{x^3-x} dx$.

Solutions

1. Evaluate the integral $\int \frac{3x+1}{x^2-x-6} dx$.

- Factor the denominator: $x^2 - x - 6 = (x - 3)(x + 2)$.
- Set up decomposition: $\frac{3x+1}{(x-3)(x+2)} = \frac{A}{x-3} + \frac{B}{x+2}$.
- Multiply by denominator: $3x + 1 = A(x + 2) + B(x - 3)$.
- Find A by letting $x = 3$: $3(3) + 1 = A(3 + 2) \implies 10 = 5A \implies A = 2$.
- Find B by letting $x = -2$: $3(-2) + 1 = B(-2 - 3) \implies -5 = -5B \implies B = 1$.
- Integrate: $\int (\frac{2}{x-3} + \frac{1}{x+2}) dx = 2 \ln |x - 3| + \ln |x + 2| + C$.

Answer: $2 \ln |x - 3| + \ln |x + 2| + C$

2. Evaluate the integral $\int \frac{1}{x^2-4x} dx$.

- Factor the denominator: $x^2 - 4x = x(x - 4)$.
- Set up decomposition: $\frac{1}{x(x-4)} = \frac{A}{x} + \frac{B}{x-4}$.
- Multiply by denominator: $1 = A(x - 4) + Bx$.
- Find A by letting $x = 0$: $1 = A(-4) \implies A = -1/4$.
- Find B by letting $x = 4$: $1 = B(4) \implies B = 1/4$.
- Integrate: $\int (\frac{-1/4}{x} + \frac{1/4}{x-4}) dx = \frac{1}{4}(\ln |x - 4| - \ln |x|) + C$.

Answer: $\frac{1}{4} \ln |x - 4| - \frac{1}{4} \ln |x| + C$

3. Evaluate the integral $\int \frac{x^2+1}{x^3-x} dx$.

- Factor the denominator: $x^3 - x = x(x - 1)(x + 1)$.
- Set up decomposition: $\frac{x^2+1}{x(x-1)(x+1)} = \frac{A}{x} + \frac{B}{x-1} + \frac{C}{x+1}$.
- Multiply by denominator: $x^2 + 1 = A(x - 1)(x + 1) + Bx(x + 1) + Cx(x - 1)$.
- Find A by letting $x = 0$: $1 = A(-1)(1) \implies A = -1$.
- Find B by letting $x = 1$: $1^2 + 1 = B(1)(2) \implies 2 = 2B \implies B = 1$.
- Find C by letting $x = -1$: $(-1)^2 + 1 = C(-1)(-2) \implies 2 = 2C \implies C = 1$.
- Integrate: $\int (\frac{-1}{x} + \frac{1}{x-1} + \frac{1}{x+1}) dx = -\ln |x| + \ln |x - 1| + \ln |x + 1| + C$.

Answer: $-\ln |x| + \ln |x - 1| + \ln |x + 1| + C$