

Surface Area of Revolution

Lesson 90 · Module 4 — Applications of Integration · The Calculus Course · dailymaths.uk/course

Practice problems

1. Find the surface area of the surface generated by rotating the curve $y = x^2$ from $x = 0$ to $x = 1$ around the y -axis.
2. Find the surface area of the surface generated by rotating the line $y = 2x$ from $x = 0$ to $x = 3$ around the x -axis.
3. A curve is defined by $x = \sqrt{y}$ from $y = 0$ to $y = 4$. Find the surface area when this curve is rotated around the y -axis.

Solutions

1. Find the surface area of the surface generated by rotating the curve $y = x^2$ from $x = 0$ to $x = 1$ around the y -axis.

- Identify the radius for rotation around the y -axis: $r = x$.
- Find the derivative: $y' = 2x$.
- Set up the arc length element: $ds = \sqrt{1 + (2x)^2} dx = \sqrt{1 + 4x^2} dx$.
- Set up the integral: $S = \int_0^1 2\pi x \sqrt{1 + 4x^2} dx$.
- Use u-substitution: $u = 1 + 4x^2$, $du = 8x dx$, so $x dx = \frac{1}{8} du$.
- Integrate: $S = \frac{2\pi}{8} \int_1^5 u^{1/2} du = \frac{\pi}{4} [\frac{2}{3} u^{3/2}]_1^5 = \frac{\pi}{6} (5\sqrt{5} - 1)$.

Answer: $\frac{\pi}{6}(5\sqrt{5}-1)$

2. Find the surface area of the surface generated by rotating the line $y = 2x$ from $x = 0$ to $x = 3$ around the x -axis.

- Find the derivative: $y' = 2$.
- Calculate the arc length element: $\sqrt{1 + 2^2} = \sqrt{5}$.
- Set up the integral: $S = \int_0^3 2\pi(2x)\sqrt{5} dx$.
- Integrate: $S = 4\pi\sqrt{5} \int_0^3 x dx = 4\pi\sqrt{5} [\frac{1}{2}x^2]_0^3$.
- Evaluate: $4\pi\sqrt{5} \cdot \frac{9}{2} = 18\pi\sqrt{5}$.

Answer: $18\pi\sqrt{5}$

3. A curve is defined by $x = \sqrt{y}$ from $y = 0$ to $y = 4$. Find the surface area when this curve is rotated around the y -axis.

- The radius is $x = \sqrt{y}$.
- Find the derivative of x with respect to y : $x' = \frac{1}{2\sqrt{y}}$.
- Set up the integral: $S = \int_0^4 2\pi\sqrt{y}\sqrt{1 + \frac{1}{4y}} dy$.
- Simplify the integrand: $2\pi\sqrt{y}\frac{\sqrt{4y+1}}{2\sqrt{y}} = \pi\sqrt{4y+1}$.
- Integrate: $S = \pi \int_0^4 (4y+1)^{1/2} dy = \pi [\frac{1}{4} \cdot \frac{2}{3} (4y+1)^{3/2}]_0^4$.
- Evaluate: $\frac{\pi}{6} (17^{3/2} - 1^{3/2}) = \frac{\pi}{6} (17\sqrt{17} - 1)$.

Answer: $\frac{\pi}{6}(17\sqrt{17}-1)$